


Basic ICD-10




International Statistical Classification of Diseases and Related Health Problems 10th Revision

10

ICD-10


- เป็นระบบการจัดหมวดหมู่ของความเจ็บป่วย (โรค, การบาดเจ็บ) รวมทั้งปัญหาสุขภาพอื่นๆ โดยกำหนดรหัสแทนการเรียกชื่อโรค
- ใช้ในการรวบรวมข้อมูลความเจ็บป่วย เพื่อประโยชน์ทางระบาดวิทยา และการบริหารด้านสุขภาพ
- องค์การอนามัยโลก ใช้เป็นเครื่องมือหลักเพื่อจัดเก็บ, บันทึกข้อมูล และจัดทำเป็นสถิติการเจ็บป่วย/ตายของประชากรโลก



ICD-1


- เริ่มจาก International list of Causes of Death ในปี คศ.1900 (พศ.2443) โดยชาวฝรั่งเศส ชื่อ Bertillon
- ปรับปรุงแก้ไข (Revision) ทุกๆ 10 ปี
- เริ่มดำเนินการโดย WHO ใน ICD-6
- รุ่นปัจจุบันคือ ICD-10

ICD-1



ICD-10


First Edition 1989
(พศ.2532)
องค์การอนามัยโลก
ประกาศให้เริ่มใช้
1 มกราคม 1993
(พศ.2536)



Countries reporting data by ICD10

Country	1994	1995	1996	1997	1998	1999	2000
ARGENTINA				X			
AUSTRALIA					X	X	
BAHRAIN				X	X	X	X
BELIZE				X	X		
CHILE				X	X	X	
COLOMBIA				X	X		
COSTA RICA				X	X	X	X
CROATIA		X	X	X	X	X	X
CZECH REPUBLIC	X	X	X	X	X	X	X
DENMARK	X	X	X	X	X		
DOMINICAN REPUBLIC			X	X	X		
ECUADOR					X		
EGYPT							X
EL SALVADOR				X	X	X	
ESTONIA				X	X	X	
FINLAND			X	X	X	X	

ICD-10



- หนังสือที่ WHO พิมพ์จำหน่ายฉบับปัจจุบัน = Second Edition (2010)
- สปสช. ประกาศให้ใช้ ICD-10 update 2010 สำหรับข้อมูลที่ส่งเพื่อเบิกค่ารักษาตั้งแต่ 1 เม.ย. 2555

ลักษณะของรหัส ICD-10

- เป็นรหัสตัวอักษรผสมตัวเลข (AlphaNumeric)
- นำหน้าด้วย A→Z
- ความยาว 3, 4 หรือ 5 หลัก
- ระหว่างหลักที่ 3 และ 4 คั่นด้วยจุด “.”

A00.0 Cholera due to *Vibrio cholerae* 01, biovar cholerae
Classical cholera



A090 Diarrhoea and gastroenteritis of presumed infectious origin

I50.0 Congestive heart failure

M10.07 Idiopathic gout: ankle/joint in foot

ICD-10


Version for 2010



ICD-10



Volume 1 Tabular list

- Chapter
- Block
- 3 character categories
- 4 character subcategories
- Supplementary subdivision (5th character)
- Code for special purpose (“U” codes)



วิธีการจัดกลุ่มของ ICD-10

ตามแนวทางการจัดกลุ่มของ William Farr (1856)



Chapter	Title	Blocks
I	Certain infectious and parasitic diseases	A00-B99
II	Neoplasms	C00-D48
III	Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	D50-D89
IV	Endocrine, nutritional and metabolic diseases	E00-E90
V	Mental and behavioural disorders	F00-F99
VI	Diseases of the nervous system	G00-G99
VII	Diseases of the eye and adnexa	H00-H59
VIII	Diseases of the ear and mastoid process	H60-H95
IX	Diseases of the circulatory system	I00-I99
X	Diseases of the respiratory system	J00-J99
XI	Diseases of the digestive system	K00-K93
XII	Diseases of the skin and subcutaneous tissue	L00-L99
XIII	Diseases of the musculoskeletal system and connective tissue	M00-M99
XIV	Diseases of the genitourinary system	N00-N99
XV	Pregnancy, childbirth and the puerperium	O00-O99
XVI	Certain conditions originating in the perinatal period	P00-P96
XVII	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
XVIII	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99
XIX	Injury, poisoning and certain other consequences of external causes	S00-T98
XX	External causes of morbidity and mortality	V01-Y98
XXI	Factors influencing health status and contact with health services	Z00-Z99
XXII	Codes for special purposes	U00-U99

3 character categories

THREE-CHARACTER CATEGORIES

Chapter I Certain infectious and parasitic diseases (A00–B99)

Intestinal infectious diseases (A00–A09)

A00	Cholera
A01	Typhoid and paratyphoid fevers
A02	Other salmonella infections
A03	Shigellosis
A04	Other bacterial intestinal infections
A05	Other bacterial foodborne intoxications
A06	Amoebiasis
A07	Other protozoal intestinal diseases
A08	Viral and other specified intestinal infections
A09	Diarrhoea and gastroenteritis of presumed infectious origin

Tuberculosis (A15–A19)

A15	Respiratory tuberculosis, bacteriologically and histologically confirmed
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically
A17†	Tuberculosis of nervous system
A18	Tuberculosis of other organs
A19	Miliary tuberculosis

Certain zoonotic bacterial diseases (A20–A28)

4 character subcategories

INTERNATIONAL CLASSIFICATION OF DISEASES

Intestinal infectious diseases (A00–A09)

A00 Cholera

A00.0 Cholera due to *Vibrio cholerae* 01, biovar cholerae
Classical cholera

A00.1 Cholera due to *Vibrio cholerae* 01, biovar eltor
Cholera eltor

A00.9 Cholera, unspecified

A01 Typhoid and paratyphoid fevers

A01.0 Typhoid fever
Infection due to *Salmonella typhi*

A01.1 Paratyphoid fever A

A01.2 Paratyphoid fever B

A01.3 Paratyphoid fever C

A01.4 Paratyphoid fever, unspecified
Infection due to *Salmonella paratyphi* NOS

5th character

S02 Fracture of skull and facial bones

Note: For primary coding of fracture of skull and facial bones with associated intracranial injury, reference should be made to the morbidity or mortality coding rules and guidelines in Volume 2.

The following subdivisions are provided for optional use in a supplementary character position where it is not possible or not desired to use multiple coding to identify fracture and open wound; a fracture not indicated as closed or open should be classified as closed.

0 closed
1 open

S02.0 Fracture of vault of skull

Frontal bone
Parietal bone

S02.00 Closed Fracture of vault of skull
S02.01 Open Fracture of vault of skull

ICD-10 Volume 3 Alphabetical Index

- **Section I** Disease & nature of injury
- **Section II** External causes of injury
- **Section III** Table of Drugs and Chemicals



Section I Alphabetical Index Of Diseases And Nature Of Injury

International Classification of Diseases

A

Aarskog's syndrome Q87.1

Abandonment T74.0

Abasia (-astasia) (hysterical) F44.4

Abdomen, abdominal — see also condition

- acute R10.0

- convulsive equivalent G40.8

- muscle deficiency syndrome Q79.4

Abdominalgia R10.4

Abduction contracture, hip or other joint —
see *Contraction, joint*

Aberrant (congenital) — see also *Malposition, congenital*

- adrenal gland Q89.1

- artery (peripheral) NEC Q27.8

Abnormal, abnormality -----continued

- biosynthesis, testicular androgen E29.1

- blood level (of)

- - cobalt R79.0

- - copper R79.0

- - iron R79.0

- - lithium R78.8

- - magnesium R79.0

- - mineral NEC R79.0

- - zinc R79.0

- blood gas level R79.8

- bowel sounds R19.1

- breathing NEC R06.8

- caloric test R94.1

- cervix NEC (acquired) (congenital), in

Section II External Causes Of Injury

International Classification of Diseases

A

Abandonment (causing exposure to weather conditions) (with intent to injure or kill) NEC Y06.9

- by
- acquaintance or friend Y06.2
- parent Y06.1
- specified person NEC Y06.8
- spouse or partner Y06.0

Abuse (adult) (child) (mental) (physical) (sexual) (see also *Maltreatment*) Y07.9

Accident (to) X59.9

- aircraft (in transit) (powered) NEC (see also *Accident, transport*) V95.9
- due to, caused by cataclysm — see

Accident.....Continued

- lifting device (see also *Contact, with, by type of lifting device*) W24.-
- lightning NEC X33.-
- machine, machinery NEC (see also *Contact, with, by type of machine*) W31.-
- natural factor NEC X58.-
- radiation (see also *Radiation*) W91.-
- steam (see also *Burning, steam*) X13.-
- thunderbolt NEC X33.-
- transmission device (see also *Contact, with, by type of transmission device*) W24.-

Section III Table Of Drugs And Chemicals

International Classification of Diseases

Substance	Poisoning			Adverse effect in therapeutic use	
	Chapter XIX	Accidental	Intentional Self-harm		
A					
Abrine	T62.2	X49-	X69-	Y19-	-
Absinthe	T51.0	X45-	X65-	Y15-	-
Acebutolol	T44.7	X43-	X63-	Y13-	Y51.7
Acecarbromal	T42.6	X41-	X61-	Y11-	Y47.4
Aceclidine	T44.1	X43-	X63-	Y13-	Y51.1
Acedapsona	T37.0	X44-	X64-	Y14-	Y41.0
Acefylline piperazine	T48.6	X44-	X64-	Y14-	Y55.6
Acemetacin	T39.3	X40-	X60-	Y10-	Y45.3
Acemorphan	T40.2	X42-	X62-	Y12-	Y45.0

Lead term

Cross reference

Tuberculoma - see also Tuberculosis

- brain A17.8† G07*
- meninges (cerebral) (spinal) A17.1† G07*
- spinal cord A17.8† G07*

Modifiers

ข้อแนะนำในการค้นหาห้ส

- อย่าเริ่มค้นหาจาก Tabular list เริ่มจาก Index ก่อน
- ค้นหา Lead term จากคำวินิจฉัย
- อ่าน Note, คำในวงเล็บ, Cross reference (See/See also) จนเข้าใจ
- ได้รหัสแล้วกลับไปดูรายละเอียดใน Tabular list
- มีปัญหาอ่าน Volume 2 (± Standard coding guideline)

Generic lead terms

- disease
- complication
- syndrome
- pregnancy
- labour
- delivery
- puerperal
- maternal condition affecting fetus or newborn
- Conditions arising in the perinatal period
- Injury
- sequelae
- suicide
- assault
- legal intervention
- war operations
- counselling
- observation
- examination
- history
- problem
- screening
- status
- vaccination

Dual Codes (1 Dx → 2 codes)

Dagger † / Asterisk * (กริข/ดอกจัน)



- ใช้กับโรคที่ต้องการแสดงข้อมูล 2 ด้าน คือ
 - ด้านที่เป็นโรคทั่วไปอันเป็น เหตุ (Etiology)
 - ด้านที่เป็นผลที่เกิดขึ้นตามระบบอวัยวะ (Manifestation)
- โรคที่มีรหัสกริขคู่กับรหัสดอกจัน **ต้องบันทึกทั้งสองรหัส โดยให้รหัสกริข เป็นการวินิจฉัยครั้งแรก ตามด้วยรหัสดอกจัน**

Both †/* in rubric

A17.0† Tuberculous meningitis (G01*)
Tuberculosis of meninges (cerebral)(spinal)
Tuberculous leptomeningitis

Only † in rubric

A18.0† Tuberculosis of bones and joints
Tuberculosis of:
• hip (M01.1*)
• knee (M01.1*)
• vertebral column (M49.0*)
Tuberculous:
• arthritis (M01.1*)
• mastoiditis (H75.0*)
• necrosis of bone (M90.0*)
• osteitis (M90.0*)
• osteomyelitis (M90.0*)
• synovitis (M68.0*)
• tenosynovitis (M68.0*)



Neither †/* in rubric

A54.8 Other gonococcal infections
Gonococcal:
• brain abscess† (G07*)
• endocarditis† (I39.8*)
• meningitis† (G01*)
• myocarditis† (I41.0*)
• pericarditis† (I32.0*)
• peritonitis† (K67.1*)
• pneumonia† (J17.0*)
• septicaemia
• skin lesions
Excludes: gonococcal pelviperitonitis (A54.2)

G01* Meningitis in bacterial diseases classified elsewhere

Meningitis (in):
• anthrax (A22.8†)
• gonococcal (A54.8†)
• leptospirosis (A27.-†)
• listerial (A32.1†)
• Lyme disease (A69.2†)
• meningococcal (A39.0†)
• neurosyphilis (A52.1†)
• salmonella infection (A02.2†)
• syphilis:
• congenital (A50.4†)
• secondary (A51.4†)
• tuberculous (A17.0†)
• typhoid fever (A01.0†)

Excludes: meningoencephalitis and meningomyelitis in bacterial diseases classified elsewhere (G05.0*)



D63* Anaemia in chronic diseases classified elsewhere

D63.0* Anaemia in neoplastic disease (C00–D48†)

D63.8* Anaemia in other chronic diseases classified elsewhere

อาจใช้รหัสกริขเดี่ยวๆ ได้ ในบางกรณี
แต่ ห้ามใช้ รหัสดอกจัน โดยไม่มีรหัสกริข

Other optional dual coding

Local infections + B95-B97

N10 Acute tubulo-interstitial nephritis

Acute:

- infectious interstitial nephritis
- pyelitis
- pyelonephritis

Use additional code (B95–B97), if desired, to identify infectious agent.

Bacterial, viral and other infectious agents (B95–B97)

Note: These categories should never be used in primary coding. They are provided for use as supplementary or additional codes when it is desired to identify the infectious agent(s) in diseases classified elsewhere.

B95 Streptococcus and staphylococcus as the cause of diseases classified to other chapters

B95.0 Streptococcus, group A, as the cause of diseases classified to other chapters

Other optional dual coding

Neoplasm + functional activity (Ch IV)


Dx: catecholamine-producing malignant pheochromocytoma of adrenal gland

C74 Malignant neoplasm of adrenal gland

C74.0 Cortex of adrenal gland

C74.1 Medulla of adrenal gland

C74.9 Adrenal gland, unspecified



E27.5 Adrenomedullary hyperfunction
Adrenomedullary hyperplasia
Catecholamine hypersecretion

Other optional dual coding

Neoplasm + Morphology code

C74 Malignant neoplasm of adrenal gland

C74.0 Cortex of adrenal gland

C74.1 Medulla of adrenal gland

C74.9 Adrenal gland, unspecified

M8700/3 Pheochromocytoma, malignant (C74.1)

Morphology code ยังไม่ใช้ในการส่งข้อมูลเพื่อการเบิกจ่าย

Other optional dual coding

F00-F09 + Underlying cause

Organic, including symptomatic, mental disorders (F00–F09)

This block comprises a range of mental disorders grouped together on the basis of their having in common a demonstrable etiology in cerebral disease, brain injury, or other insult leading to cerebral dysfunction. The dysfunction may be primary, as in diseases, injuries, and insults that affect the brain directly and selectively; or secondary, as in systemic diseases and disorders that attack the brain only as one of the multiple organs or systems of the body that are involved.

Dementia (F00–F03) is a syndrome due to disease of the brain, usually of a chronic or progressive nature, in which there is disturbance of multiple higher cortical functions, including memory, thinking, orientation, comprehension, calculation, learning capacity, language, and judgement. Consciousness is not clouded. The impairments of cognitive function are commonly accompanied, and occasionally preceded, by deterioration in emotional control, social behaviour, or motivation. This syndrome occurs in Alzheimer's disease, in cerebrovascular disease, and in other conditions primarily or secondarily affecting the brain.

Use additional code, if desired, to identify the underlying disease.

F00* Dementia in Alzheimer's disease (G30.–†)

Alzheimer's disease is a primary degenerative cerebral disease of unknown etiology with characteristic neuropathological and neurochemical features. The disorder is usually insidious in onset and develops slowly but steadily over a period of several years.

Other optional dual coding

Condition from toxic agent + External cause

N14 Drug- and heavy-metal-induced tubulo-interstitial and tubular conditions
Use additional external cause code (Chapter XX), if desired, to identify toxic agent.

N14.0 Analgesic nephropathy

N14.1 Nephropathy induced by other drugs, medicaments and biological substances

Y45 Analgesics, antipyretics and anti-inflammatory drugs

Y45.0 Opioids and related analgesics

Y45.1 Salicylates

Y45.2 Propionic acid derivatives

Propanoic acid derivatives

Y45.3 Other nonsteroidal anti-inflammatory drugs [NSAID]

Y45.4 Antirheumatics

Excludes: chloroquine (Y41.2)
glucocorticoids (Y42.0)
salicylates (Y45.1)

Y45.5 4-Aminophenol derivatives

Y45.8 Other analgesics and antipyretics

Y45.9 Analgesic, antipyretic and anti-inflammatory drug, unspecified

Other optional dual coding

Injury/poisoning/adverse effect + External cause

S, T → V, W, X, Y

S06.3 Focal brain injury

Focal:

- cerebral:
 - contusion
 - laceration
 - traumatic intracerebral haemorrhage

Y00

Assault by blunt object

T81.0 Haemorrhage and haematoma complicating a procedure, not elsewhere classified

Haemorrhage at any site resulting from a procedure

Excludes: haematoma of obstetric wound (O90.2)
haemorrhage due to prosthetic devices, implants and grafts (T02.0-T02.9, T04.0-T05.9)

Y60

Unintentional cut, puncture, perforation or haemorrhage during surgical and medical care

Y60.0 During surgical operation

Combined code

รหัสรวม หมายถึง รหัสเดี่ยวครอบคลุมมากกว่า 1 โรค
ถ้าถอดรหัสกลับจะได้ชื่อโรคเดิมกลับมาครบทุกโรค
ไม่ใช่รหัสโรคหลายตำแหน่ง หรือรหัสกำกวม

- I05.0 Mitral stenosis
- I05.1 Mitral insufficiency

I05.2 Mitral stenosis with insufficiency

K80.0 Calculus of gallbladder with cholecystitis

N20.2 Calculus of kidney with calculus of ureter

Q37.9 Cleft lip with cleft palate

- Q36.9 Cleft lip NOS
- Q35.9 Cleft palate NOS

Ambiguous codes

รหัสกำกวม หมายถึง รหัสเดี่ยวครอบคลุมหลายโรค
ไม่อาจถอดรหัสได้ว่าที่จริงเป็นโรคอะไร

D48.9 Neoplasm of uncertain or unknown behavior, unspecified

S09.9 Unspecified injury of head

T07 Unspecified multiple injuries

T08 Fracture of spine, level unspecified

T14.1 Open wound of unspecified body region

Multiple conditions

รหัสโรคหลายตำแหน่ง/หลายแบบ

- ใช้เมื่อแต่ละโรคมีความรุนแรงเท่ากัน
- ใช้รหัสโรคหลายตำแหน่ง/หลายแบบเป็นการวินิจฉัยหลัก
- ใช้รหัสของแต่ละโรคเป็นการวินิจฉัยร่วม
- มักใช้ในผู้ป่วย HIV, Injuries, Sequelae

ในกรณีที่แต่ละโรคมีความรุนแรงไม่เท่ากัน ไม่ต้องใช้รหัสโรคหลายตำแหน่ง/หลายแบบ ให้เลือกรหัสโรคที่รุนแรงที่สุดเป็นการวินิจฉัยหลัก

Multiple conditions (continued)

ผู้ป่วย HIV มี Pulmonary TB, Oral candidiasis และ Mycoplasma pneumonia

การวินิจฉัยหลัก

B20.7 HIV disease resulting in multiple infections

การวินิจฉัยร่วม

A16.2 Pulmonary TB NOS

B37.0 Oral candidiasis

J15.7 Mycoplasma pneumonia

Morbidity coding

- Single condition coding
- Multiple condition coding
 - Main condition
 - Other condition(s)



ไทยใช้ระบบ Multiple condition coding



ThaiDRG แบ่งการวินิจฉัยออกเป็น

- Principal diagnosis (PDx)
- Secondary diagnoses (SDx)

รหัสโรคไม่เหมือนรหัสไปรษณีย์

- หนึ่งรหัส อาจตรงกับ หนึ่งชื่อโรค
- หนึ่งรหัส อาจตรงกับ หลายชื่อโรค
- หลายรหัส อาจตรงกับ หนึ่งชื่อโรค

บางโรค อาจใช้รหัสต่างกัน ในแต่ละสถานการณ์
บางโรค ต้องใช้มากกว่า หนึ่ง รหัส

บางโรคมีหลายชื่อ

E28.2 Polycystic ovarian syndrome

Sclerocystic ovary syndrome

Stein-Leventhal syndrome

บางรหัสครอบคลุมหลายโรค

N82.1 Other female urinary-genital tract fistulae

Fistula:

- cervicovesical
- ureterovaginal
- urethrovaginal
- uteroureteric
- uterovesical

รหัสโรคอาจเปลี่ยนตาม condition

Bartholin's abscess

- non-pregnant → N75.1
- in pregnancy → O23.5, N75.1
- postpartum → O86.1, N75.1

รหัสโรคอาจเปลี่ยนตามเวลาที่เกิดโรค

Eclampsia

- in pregnancy → O15.0
- in labour → O15.1
- in the puerperium → O15.2
- unspecified as to time period → O15.9

เพศหญิงอาจใช้รหัสไม่เหมือนเพศชาย

- **Peritoneal adhesions**
ใช้รหัส K66.0 ทั้งหญิงและชาย
- **Pelvic peritoneal adhesions**
หญิง ใช้รหัส N73.6
ชาย ใช้รหัส K66.0

บางรหัสห้ามใช้เป็น Principal diagnosis

- V, W, X, Y** กลไกการบาดเจ็บหรือได้รับพิษ
- B90-B94** Sequelae of infectious and parasitic diseases
- B95-B97** Infectious agents
- D63.0*** Anemia in neoplastic disease
- Z51.5** Palliative care

บางรหัสใช้เป็น Principal diagnosis ได้เฉพาะในบางกรณี


- 080.- Single spontaneous delivery
- 081.- Single delivery by forceps and vacuum extractor
- 082.- Single delivery by caesarean section
- 083.- Other assisted single delivery
- 084.- Multiple delivery

บางรหัสควรหลีกเลี่ยงที่จะใช้เป็น Principal diagnosis

- R00-R99** Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified

ถ้าทราบว่าอาการและอาการแสดงนั้นเกิดจากโรคใด
ให้ใส่รหัสของโรคนั้น

ต้องการข้อมูลอะไรในการให้รหัสโรค



DM รหัส 3 หลัก = Type of DM

- E10.-** Insulin-dependent DM
- E11.-** Non-insulin-dependent DM
- E12.-** Malnutrition-related DM
- E13.-** Other specified DM
- E14.-** Unspecified DM

DM รหัสหลักที่ 4 = Complication

- .0 with coma
- .1 with ketoacidosis
- .2 with renal complications
- .3 with ophthalmic complications
- .4 with neurological complications
- .5 with peripheral circulatory complications
- .6 with other specified complications
- .7 with multiple complications
- .8 with unspecified complications
- .9 without complication

DM

- Type
- Complication

Abortion รหัส 3 หลัก = Type

- 003.-** Spontaneous abortion
- 004.-** Medical abortion
- 005.-** Other abortion
- 006.-** Unspecified abortion

Abortion รหัสหลักที่ 4

Incomplete

- .0 complicated by genital tract and pelvic infection
- .1 complicated by delayed or excessive haemorrhage
- .2 complicated by embolism
- .3 with other and unspecified complications
- .4 without complication

Complete or unspecified

- .5 complicated by genital tract and pelvic infection
- .6 complicated by delayed or excessive haemorrhage
- .7 complicated by embolism
- .8 with other and unspecified complications
- .9 without complication

- **Abortion**
- Type
- Complete/Incomplete
- Complication

Injury

ในกรณีผู้ป่วยได้รับบาดเจ็บหรือได้รับพิษ แพทย์ควรบันทึกอย่างชัดเจน . . .




ตำแหน่งและรายละเอียดทุกบาดแผล

อุบัติเหตุ ถูกทำร้าย หรือทำร้ายตนเอง

เหตุเกิดอย่างไร

เหตุเกิดที่ไหน

เหตุเกิดขณะผู้บาดเจ็บกำลังทำอะไรอยู่



ตัวอย่างการวินิจฉัยกำกวม

- Multiple injury, Head injury, Soft tissue injury
- Blunt trauma of abdomen
- URI, UTI, CVA
- Car accident, Motorcycle accident
- Diabetic foot, Cellulitis
- Laceration wound, Gun shot wound
- Snake bite, Dog bite

ตัวอย่างการวินิจฉัยไม่ละเอียด

- Pneumonia
- DM (Diabetes mellitus)
- Burn
- TB (Tuberculosis)
- Fracture femur
- CA cervix

